

## Uddeholm Vanadis 23 SuperClean Stock Standard

Flat bar

Soft annealed/Unmachined

Soft annealed/Rough machined

mm	12	15	16	18	20	22	26	27	28	30	34	35	38	40	43	50	54	55	63	76,2	100	102	152	200	
57	<input type="checkbox"/>					<input type="checkbox"/>			<input type="checkbox"/>																
83								<input type="checkbox"/>																	
100																									
102																									
108	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>			<input type="checkbox"/>			<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>								
150														<input type="checkbox"/>		<input type="checkbox"/>			<input checked="" type="checkbox"/>						
152,4																				<input checked="" type="checkbox"/>					
158				<input type="checkbox"/>		<input type="checkbox"/>			<input type="checkbox"/>			<input type="checkbox"/>					<input type="checkbox"/>								
202																								<input checked="" type="checkbox"/>	
203							<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>										
203,2																							<input checked="" type="checkbox"/>		
210			<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>			<input type="checkbox"/>			<input type="checkbox"/>			<input type="checkbox"/>			<input checked="" type="checkbox"/>							
260			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				<input type="checkbox"/>								<input type="checkbox"/>								
305																				<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			
380														<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>									
400																								<input checked="" type="checkbox"/>	
450										<input checked="" type="checkbox"/>															
550																						<input checked="" type="checkbox"/>			

## Uddeholm Vanadis 23 SuperClean Stock Standard

Square bar

Soft annealed/Unmachined □

Soft annealed/Rough machined ■

mm	20	43	50	57	69	120
	□	□	□	□	□	■

Round bar

Soft annealed/Precision machined

Cold drawn fix length/Tolerance ISO h9

mm	3,3	4,3	5,3	6,3	7,3	8,3	9,3	10,3	12,3	13,3	15,0
	○	○	○	○	○	○	○	○	○	○	○

Round bar

Soft annealed/Rough machined

mm	14	16	18	20	22	24	26	28	30	32	35	38	40	42	46	50,8	52	54	60	63,5
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

mm	65	70	76,2	80	85	90	100	102	110	115	120	125	130	140	150	160	170	180
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

mm	190	203	225	250	270	305	370	420
	●	●	●	●	●	●	●	●

## Uddeholm Vanadis 23 SuperClean Stock Standard

Plate

Width: 1,00-4,99 = 650 mm, 5,00-80,00 = 750 mm

Tolerance: -0 / +200 mm

Length: Random length mm

Soft annealed/Unmachined

Thickness, mm	5,2	6,2	9,2	11,2	13,2	21	28	34
	☐	☐	☐	☐	☐	☐	☐	☐

Pre-machined

Tolerances: Thickness: +0,4/+0,65 mm Width: +0,4/+0,8 mm

Random length: 1,2-3,0 m

Width mm	Thickness, mm										
	8	10	13	16	18	20	22	25	32	40	50
50	☐	☐		☐		☐					
100		☐		☐		☐		☐	☐	☐	☐
200									☐		
203			☐	☐	☐		☐				
252				☐	☐						