

## Uddeholm Vanadis 8 SuperClean Stock Standard

**Flat bar**

Soft annealed/Unmachined

Soft annealed/Rough machined

mm	12	15	18	22	28	35	38	41	43	50	54	63,5	67	76,2	80	90	100	102	127	152	153	160	200	
30		<input type="checkbox"/>																						
45					<input type="checkbox"/>																			
57			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>																
69																								
86									<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>											
108	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>													
153												<input type="checkbox"/>		<input type="checkbox"/>							<input checked="" type="checkbox"/>			
166		<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>													
202																					<input checked="" type="checkbox"/>			
203												<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>							<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	
210				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>													
250															<input checked="" type="checkbox"/>								<input checked="" type="checkbox"/>	
254												<input checked="" type="checkbox"/>										<input checked="" type="checkbox"/>		
260					<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>													
305																						<input checked="" type="checkbox"/>		
375							<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>						
400																								<input checked="" type="checkbox"/>
470																				<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		
550										<input checked="" type="checkbox"/>						<input checked="" type="checkbox"/>								
615										<input checked="" type="checkbox"/>														

## Uddeholm Vanadis 8 SuperClean Stock Standard

### SQUARE BAR

Soft annealed/Unmachined □

Soft annealed/Rough machined ■

mm	86	100	153	200
	□	■	■	■

### ROUND BAR

Soft annealed/Precision machined

Cold drawn fix length/Tolerance ISO h9

mm	5,3	6,3	8,3	10,3	13,3
	○	○	○	○	○

### ROUND BAR

Soft annealed/Rough machined

mm	12,7	16	18	20	23,5	25,4	28	32	35	38	40	46	50,8	57,2	60	63,5
		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

mm	70	76,2	80	85	90	102	110	115	120	127	130	140	153	160	180	190
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

mm	203	225	230	250	254	280	300	330	407	450
	●	●	●	●	●	●	●	●	●	●

## Uddeholm Vanadis 8 SuperClean Stock Standard

### PLATE

Width: 1,00-4,99 = 650 mm, 5,00-80,00 = 750 mm

Tolerance: -0/+200 mm

Length: random length mm

Soft annealed/Unmachined

Thickness, mm	4,56	6,5	9,2	13,2	16	21	28	34	40
	☐	☐	☐	☐	☐	☐	☐	☐	☐

### PRE-MACHINED FLAT & SQUARE

Tolerances: Thickness: +0.4/+0.65 mm Width: +0.4/+0.80 mm

Random length: 1800-2000 mm

Width mm	Thickness mm							
	10	12	16	20	25	32	40	50
25					☐			
50	☐		☐		☐			☐
100	☐		☐	☐	☐	☐	☐	☐
160		☐			☐	☐	☐	☐
200					☐	☐	☐	☐
250					☐	☐		☐