

Uddeholm Calmax Stock Standard

Flat bar

Soft annealed/Unmachined

Soft annealed/Rough machined

mm	28	35	43	50	54	63	80	100	125	160	200
57	<input type="checkbox"/>										
69		<input type="checkbox"/>									
100						<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				
108	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>						
125						<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				
160						<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				
166	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>						
200						<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				
210	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>						
250						<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
260	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>						
315				<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
355				<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
400						<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
450							<input checked="" type="checkbox"/>				
500						<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>
600										<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

The stock standard might change without notice

Issue date
July, 2017
1 (3)

Uddeholm Calmax Stock Standard

Square bar
Soft annealed/Unmachined £
Soft annealed/Rough machined n

mm	54	86	100	125	160
	£	£	n	n	n

Round bar
Soft annealed/Unmachined ○
Soft annealed/Rough machined ●

mm	14	18	22	28	35	43	50	55	63	70	80	90	100	125	140	160	180	200	225	250	280	315	355	400	500	
	○	○	○	○	○	○	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Uddeholm Calmax Stock Standard

Pre-machined

Tolerances: Thickness: +0.4/+0.65 mm Width: +0.4/+0.80 mm

Length: 1030 mm

Width mm	Thickness mm					
	25	32	40	50	63	80
40	■					
50	■					
63	■	■				
80						
100	■	■	■	■		
160		■	■	■		
200			■			
250			■			
Square				n	n	n