

Uddeholm Vanadis 23 SuperClean Stock Standard

Flat bar

 Soft annealed/Unmachined

 Soft annealed/Rough machined

mm	10	12	15	16	18	20	22	27	28	30	35	40	43	50	54	55	63	76,2	100	102	152	200	
57	<input type="checkbox"/>	<input type="checkbox"/>					<input type="checkbox"/>		<input type="checkbox"/>														
83								<input type="checkbox"/>															
100																							
102																							
108		<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>								
150												<input type="checkbox"/>		<input type="checkbox"/>			<input checked="" type="checkbox"/>						
152,4																		<input checked="" type="checkbox"/>					
158					<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>				<input type="checkbox"/>								
202																						<input checked="" type="checkbox"/>	
203,2																		<input checked="" type="checkbox"/>					
210				<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>			<input checked="" type="checkbox"/>							
260				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>						<input type="checkbox"/>								
305																		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			
380												<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>									
400																						<input checked="" type="checkbox"/>	
450										<input checked="" type="checkbox"/>													
550																			<input checked="" type="checkbox"/>				

Square bar

 Soft annealed/Unmachined

The stock standard might change without notice

Uddeholm Vanadis 23 SuperClean Stock Standard

Soft annealed/Rough machined ■

mm	20	43	50	57	69	120
	□	□	□	□	□	■

Round bar

Soft annealed/Precision machined

Cold drawn fix length/Tolerance ISO h9

mm	3,3	4,3	5,3	6,3	7,3	8,3	9,3	10,3	12,3	13,3	15,0
	○	○	○	○	○	○	○	○	○	○	○

Round bar

Soft annealed/Rough machined

mm	14	16	18	20	22	24	26	28	30	32	35	38	40	42	46	50,8	52	54	60	63,5
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

mm	65	70	76,2	80	82,6	85	90	100	102	110	115	120	125	130	140	150	153	160	170	180
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

mm	190	203	225	250	270	305	370	420
	●	●	●	●	●	●	●	●

Plate

The stock standard might change without notice

Issue date
October 2, 2020
2 (3)

Uddeholm Vanadis 23 SuperClean Stock Standard

Width: 1,00-4,99 = 650 mm, 5,00-80,00 = 750 mm

Tolerance: -0 / +200 mm

Length: Random length mm

Soft annealed/Unmachined

Thickness, mm	5,2	6,2	9,2	11,2	13,2	21	28	34
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Pre-machined

Tolerances: Thickness: +0.4/+0.65 mm Width: +0.4/+0.80 mm

Length: 1300 mm

Width mm	Thickness mm							
	8	10	16	20	25	32	40	50
50	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
100		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
200				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		