

## Uddeholm Vanadis 23 SuperClean Stock Standard

### Flat bar

Soft annealed/Unmachined

Soft annealed/Rough machined

mm	10	12	15	18	20	22	27	28	35	40	41	43	45	50	54	63	76,2	80	100	102	200
57	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>			<input type="checkbox"/>										
100																					
102																		<input checked="" type="checkbox"/>			
108		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>			<input type="checkbox"/>						
150										<input type="checkbox"/>				<input type="checkbox"/>		<input checked="" type="checkbox"/>					
152,4																	<input checked="" type="checkbox"/>				
158						<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>						<input type="checkbox"/>						
203,2																	<input checked="" type="checkbox"/>				
210						<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>									
260					<input type="checkbox"/>			<input type="checkbox"/>							<input type="checkbox"/>						
305																	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	
380										<input checked="" type="checkbox"/>											
400																					<input checked="" type="checkbox"/>
550																			<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>

### Square bar

Soft annealed/Unmachined

Soft annealed/Rough machined

mm	20	43	50	57	69	86	120
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

## Uddeholm Vanadis 23 SuperClean Stock Standard

### Round bar

Soft annealed/Precision machined

Cold drawn fix length/Tolerance ISO h9

mm	4,3	5,3	6,3	7,3	8,3	9,3	10,3	12,3	13,3	15,0
	○	○	○	○	○	○	○	○	○	○

### Round bar

Soft annealed/Rough machined

mm	16	18	20	22	24	26	28	30	32	35	38	40	42	46	50,8	52	54	60	63,5	65
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

mm	70	76,2	80	82,6	85	90	100	102	110	115	120	125	130	140	150	153	160	170	180	190
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

mm	203	210	225	250	270	305	370	420
	●	●	●	●	●	●	●	●

### Plate

Width: 1,00-4,99 = 650 mm, 5,00-80,00 = 750 mm

Tolerance: -0 / +200 mm

Length: Random length mm

Soft annealed/Unmachined

Thickness, mm	5,2	6,2	9,2	11,2	13,2	21	28	34
	□	□	□	□	□	□	□	□

## Uddeholm Vanadis 23 SuperClean Stock Standard

**Pre-machined**

Tolerances: Thickness: +0.4/+0.65 mm Width: +0.4/+0.80 mm

Random length: 1800-2000 mm

Width mm	Thickness mm							
	8	10	16	20	25	32	40	50
50	☐	☐	☐	☐				
100		☐	☐	☐	☐	☐	☐	☐
200				☐	☐	☐	☐	
Square								☐