

## Uddeholm Vanadis 8 SuperClean Stock Standard

**Flat bar**

Soft annealed/Unmachined

Soft annealed/Rough machined

mm	12	15	18	22	28	35	38	41	43	50	54	63,5	67	76,2	80	90	100	102	127	153	160	200	
30		<input type="checkbox"/>																					
45					<input type="checkbox"/>																		
57			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>															
69																							
86									<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>										
108	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>												
153												<input type="checkbox"/>		<input type="checkbox"/>						<input checked="" type="checkbox"/>			
166		<input type="checkbox"/>				<input type="checkbox"/>					<input type="checkbox"/>												
203												<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>						<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	
210					<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>												
250															<input checked="" type="checkbox"/>							<input checked="" type="checkbox"/>	
254												<input checked="" type="checkbox"/>								<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	
260					<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>												
375								<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>			
400																							<input checked="" type="checkbox"/>
470																				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
550										<input checked="" type="checkbox"/>							<input checked="" type="checkbox"/>						

## Uddeholm Vanadis 8 SuperClean Stock Standard

**SQUARE BAR**

Soft annealed/Unmachined □

Soft annealed/Rough machined ■

mm	28	57	86	100	153	200
	□	□	□	■	■	■

**ROUND BAR**

Soft annealed/Precision machined

Cold drawn fix length/Tolerance ISO h9

mm	4,3	5,3	6,3	7,3	8,3	10,3	11,3	13,3	15,0
	○	○	○	○	○	○	○	○	○

**ROUND BAR**

Soft annealed/Rough machined

mm	12,7	16	18	20	23,5	25,4	28	32	35	38	40	46	50,8	57,2	60	63,5	65
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

70	76,2	80	85	90	95	102	110	115	120	127	130	140	153	160	180	190
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

mm	203	225	230	250	280	300	330	407	450	500
	●	●	●	●	●	●	●	●	●	●

## Uddeholm Vanadis 8 SuperClean Stock Standard

### PLATE

Width: 1,00-4,99 = 650 mm, 5,00-80,00 = 750 mm

Tolerance: -0/+200 mm

Length: random length mm

Soft annealed/Unmachined

Thickness, mm	3,78	4,56	5,2	6,5	9,2	13,2	16	18	21	28	34	40
	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

### PRE-MACHINED FLAT

Tolerances: Thickness: +0.4/+0.65 mm Width: +0.4/+0.80 mm

Random length: 1800-2000 mm

Width mm	Thickness mm							
	10	12	16	20	25	32	40	50
50	☐		☐		☐			
100	☐		☐	☐	☐	☐	☐	☐
160		☐			☐	☐	☐	☐
200					☐	☐	☐	☐
250					☐	☐		☐
<b>Square</b>					☐			☐