

## Uddeholm Caldie Stock Standard

### Flat bar

Soft annealed/Unmachined

Soft annealed/Rough machined

mm	28	35	38.1	43	45	47	50.8	54	57	63.5	73	80	90	102	114.3	127	153	160	200	203	
54																					
57	<input type="checkbox"/>																				
69				<input type="checkbox"/>																	
80					<input type="checkbox"/>																
108	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>				<input type="checkbox"/>													
127										<input type="checkbox"/>		<input type="checkbox"/>									
153							<input type="checkbox"/>							<input type="checkbox"/>							
166	<input type="checkbox"/>			<input type="checkbox"/>				<input type="checkbox"/>		<input type="checkbox"/>											
203												<input type="checkbox"/>		<input type="checkbox"/>							
210	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>				<input type="checkbox"/>		<input type="checkbox"/>											
254	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>				<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>			<input type="checkbox"/>				
260								<input type="checkbox"/>													
305			<input type="checkbox"/>		<input type="checkbox"/>																
315							<input type="checkbox"/>					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>		
356							<input type="checkbox"/>					<input type="checkbox"/>									
407										<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					<input type="checkbox"/>
500										<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>					
600								<input type="checkbox"/>										<input type="checkbox"/>	<input type="checkbox"/>		
610						<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>								

## Uddeholm Caldie Stock Standard

### Square bar

Soft annealed/Rough machined ■

mm	100	125	160
	■	■	■

### Round bar

Soft annealed/Unmachined ○

Soft annealed/Rough machined ●

mm	12,7	14	16	18	22	25,4	28	32	35	38	43	50.8	56	63	70	80	90
	○	○	○	○	○	○	○	○	○	○	○	●	●	●	●	●	●

mm	102	110	127	135	140	160	180	203	254	280	300	330	365	400	450
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

## Uddeholm Caldie Stock Standard

### Pre-machined

Tolerances: Thickness: +0.4/+0.65 mm    Width: +0.4/+0.8 mm

Fixed length: 1030 mm

Random length: 1.2 - 3.0 m

mm	19.1	25	25.4	32	40	50	63	80
<b>50</b>		■						
<b>63</b>		■		■				
<b>100</b>		■		■	■	■		
<b>160</b>				■	■	■		
<b>200</b>					■			
<b>250</b>				■	■	■		
<b>254</b>	□		□					
<b>Square</b>						■	■	■